

SINEX ART 1000



VR22

VR22 REGENERATING OXIDISED BITUMEN

VR22 is an oxidised bitumen regenerator that allows you to create new bituminous conglomerate by reusing the existing road surface.

VR22 can be applied using a special milling machine, capable of dosing the correct amount of regenerant. In this way it is possible to mill and at the same time mix VR22 homogeneously with the road milling.





After a quick arrangement with a rake it can be compacted with a roller or vibrating plate. Once the material is compacted, it is possible to reopen the road to the passage of traffic.

Possible applications:

- replacing and restoring damaged road surfaces, without the use of new hot-mix asphalt.

VR22 IS AVAILABLE IN VARIOUS FORMATS: 20 KG JERRY-CANS, 200 KG DRUMS, 900 KG TANKS AND 600 ML CANS.



5IME)

FORM TECHNICAL FEATURES



TECHNOLOGY ENVIRONMENTALLY SUSTAINABLE



ZERO EMISSIONS OF PLANT



NO HANDLING OF WASTE IS NECESSARY

100% ASPHALT RECYCLING



QUICKLY ENSURES ROAD SAFETY



ASPHALT REGENERATED ON THE SPOT



EASY TO APPLY AND EASY WORKABILITY



Edilpavimentazioni Srl

Via Bolzano 2-4, 38015 Lavis (TN) +39 0461 870645 info@viatek.pro info@edilpavimentazioni.it www.viatek.pro